



ALLTECH

Purpose - Driven - Solutions

AN ISO 9001:2015 CERTIFIED COMPANY

HIGH PERFORMANCE LUBRICANTS, GREASE AND TEA



www.alltechinds.com

ABOUT ALLTECH

AN ISO 9001:2015 CERTIFIED COMPANY













CHAIRMAN



Alltech Industries is a well-known name and an established player in Specialty Lubricants and Greases industry. Our range of Greases and lubricants include All Two wheeler & Four Wheeler Engine Oil, industrial oil and greases, Tea, automotive lubricants processing oils which we sell under our flagship brand "Alltech".

Established in 2019 by visionary Prajna Prasarika Mohanty as a manufacturing and marketing of Special Greases & Lubricants company, today, Alltech also also acting as a Lubricants consignment stockist and Tea agent for Indian branded company for sale of various design products. For our Greases and lubricants products, we import raw materials i.e. base oil primarily from South Korea and Middle East, additives are procured locally from select multi-national corporations and waxes are procured locally and also imported from China and Thailand. We manufacture speciality oils and lubricants products using compositions, including those developed by our in-house research and development team. Our domestic and international customers are spread across multiple industries, including pharmaceutical, FMCG, chemicals, steel, rubber and tyre, automotive and power.

Our Products

-  Motorcycle
-  Car
-  Autorickshaw
-  Tempo
-  Passenger
-  Truck & Buses
-  Break Fluids
-  Hydraulic Oils
-  Gear Oils
-  Industrial Lubricants
-  All Types of Grease
-  All Types of Tea



MOTORCYCLE

ALLTECH 4T GOLD 20W40 ENGINE OIL

Quality meets to API SM Specification | Made From High Quality Base Oil
Provides Excellent Performance at heavy loads. | Pack Sizes in Liter : 210, 50, 20, 10, 5, 1, 1.2, 0.900



ALLTECH EXTRA PREMIUM 10W30 ENGINE OIL

Extra premium quality 4 & 2 stroke engine oil is suitable for two wheelers using petrol as a fuel.
Tested as per IS standards. | 4-T 10W30 engine oil is manufactured from genuine quality base oils.
Excellent protection from Oxidation and wear. | Pack Sizes in Liter : 210, 50, 20, 10, 5, 1, 1.2, 0.900



ALLTECH 4T 20W040 ENGINE OIL

Quality meets to API SM Specification. | ALLTECH 4T is high quality Engine oil.
Suitable for 4-stroke motorcycle of all makes. | It provides good deposit control on engine components.
Designed for 4-stroke motor cycle. | Pack Sizes in Liter : 210, 50, 20, 10, 5, 1, 1.2, 0.900



ALLTECH FORK OIL

ALLTECH Front Fork oil is specially developed for use in hydraulic. | Front Fork of motorcycle
Provides excellent load carrying capacity. | Pack Sizes in Liter : 5ltr, 350ml, 175ml.



ALLTECH 15W50 ENGINE OIL

Meets API-SM "Recommended for 2,3 & 4 wheeler" superior premium quality multigrade petrol engine oil.
Tested as IS standards. | This engine oil is manufactured from genuine quality base oils.
Compatible with catalytic exhaust system. | Pack Sizes in Liter : 210, 50, 20, 10, 5, 2.5, 1, 1.2, 0.900



CAR

ALLTECH 20W40 MULTIGRADE ENGINE OIL

Quality meets to API-SM Specification. | Specially formulated form highly refined verging base stock high viscosity index and specially selected additives offers wear protection. | Longer life & longer drain interval.
Pack sizes in litre : 210, 50, 20, 10, 7.5, 5, 1.2, 1

AUTO RICKSHAW

ALLTECH PREMIUM 20W40

Quality meets to API-SM Specification. | Specially formulated form highly refined verging base stock high viscosity index and specially selected additives offers wear protection. | Longer life & longer drain interval.

Pack sizes in litre : 210, 50, 20, 10, 7.5, 5, 1.2, 1.



ALLTECH 2T ENGINE OIL

ALLTECH CNG 2-T oil is premium quality lubricant. | Specially developed for high powered 2-stroke air cooled.

Recommended for 2-stroke motorcycle, scooters & Auto. | Pack Sizes in Liter : 210, 50, 20, 10, 5, 1, 1.2, 0.900

ALLTECH CNG / LPG OIL 20W50

Quality meets to API-SG/CD Specification | Made from highly refined base oil and bio power addiive to offer extra high performance. | Reduce fuel consumption. | Increase pickup and milage up to 40%.

Reduce Carbon and smoke | Pack Sizes in Liter : 210, 50, 20, 10, 5, 1, 1.2, 0.900



TEMPO

ALLTECH PLATINUM 15W40 (40,000 KM) ENGINE OIL

Quality meets to API-CI4/5L, MB238.3, MackEO-M Plus, Volvo VDG-3, START, MAN 3271, ACCA E7-04 Specification.

Provides wear control in excessive soot loading conditions. | Extends drain interval period, Provides high engine cleanliness. | Easy start. | Pack sizes in Litre : 210, 50, 20, 10, 7.5, 5, 1.



ALLTECH 15W40 (40,000 KM) DIESEL ENGINE OIL

Quality meets to API-CI4/5L, MB238.3, MackEO-M Plus, Volvo VDG-3, START, MAN 3271, ACCA E7-04 Specification.

Provides wear control in excessive soot loading conditions. | Extends drain interval period, Provides high engine cleanliness. | Easy start. | Pack sizes in Litre : 210, 50, 20, 10, 7.5, 5, 1.



PASSENGER

ALLTECH PREMIUM 20W50

Quality meets to API-SM Specification. | Specially formulated form highly refined verging base stock high viscosity index and specially selected additives offers wear protection. | Longer life & longer drain interval.

Pack sizes in litre : 210, 50, 20, 10, 7.5, 5, 1.2, 1.

ALLTECH MULTIGRADE 20W40

Quality meets to API-SM Specification. | Formulated to provide consistent performance in all conditions.

Excellent wear protection, provides longer life. | Pack sizes in litre : 210, 50, 20, 10, 7.5, 5, 0.500.

PASSENGER

ALLTECH GEAR OIL EP-90 (80W90 & 90)

Quality meets to API-G, MIL-L-2105 Specification. | Provides good protection against wear & corrosion
Pack sizes in litre : 210, 50, 10, 5, 1, 500ml.

ALLTECH GEAR OIL EP-140 (80W140 & 85W140)

Quality meets to API-GL4, MIL-L-2105 Specification. | Excellent thermal and chemical stability.
Longer life Protection against weather and rust. | Pack sizes in litre : 210, 20, 10, 5, 1, 500ml.



TRUCK & BUSES

ALLTECH SUPER COOL COOLANT

Low forming. | Favourable properties. | Acceptable operating viscosity. | Low coefficient of expansion
Minimum seepage. | More economical.

ALLTECH PLATINUM 15W40

Quality meets to API-C14/SL, MB288,3, Mack EO-M Plus, Volvo VDS-3, START, MAN 3271, ACEA E7-04 Specification.
Provides wear control in excessive soot loading conditions. | Extends drain interval period.
Provides high engine cleanliness. | Easy Start. | Pack sizes in liter : 210,50,20,10,7.5,5,1.



ALLTECH 15W40 DIESEL ENGINE OIL

For Hydraulic Systems, Crams and Forklifts. | Manufactured to meet IS Spec. 10522 – 1993 requirements.
Made from high grade, Imported virgin base oils. | Low coefficient of expansion
Excellent anti-rust, anti-oxidation and anti loaming properties. | Pack sizes in Litre : 210, 20, 5



BREAK FLUIDS

ALLTECH BREAK OIL

Suitable for all break & clutch system except those which are compatible with mineral break fluids.
This Fluid exceeds the performance. | Requirements of the following specification Quality meets US Federal-
Standard 116DOT3 Quality meets to API-G, MIL-L-2105 Specification. | Pack sizes in litre : 210, 50, 10, 5, 1, 500ml.

HYDROLIC OIL

ALLTECH Hydrolic AW-68

Low forming. | Favourable properties. | Acceptable operating viscosity.
Low coefficient of expansion. | Minimum seepage. | More economical



GEAR OIL

ALLTECH EP140 GEAR OIL

Low forming. | Favourable properties. | Acceptable operating viscosity.
Minimum seepage. | Low coefficient of expansion. | More economical.



INDUSTRIAL LUBRICANTS

ALLTECH INDUSTRIAL LUBRICANTS

ALLTECH MCF SUPER 15W40
ALLTECH MCF SUPER PLUS 15W40
ALLTECH MCG SUPER 15W40
ALLTECH MCG SUPER PLUS 15W40
ALLTECH MCH SUPER 15W40
ALLTECH MCH SUPER PLUS 15W40
ALLTECH MCI SUPER 15W40
ALLTECH MCI SUPER PLUS 15W40
ALLTECH API CD ENGINE OILS
ALLTECH API CF ENGINE OILS
ALLTECH 4T OILS
ALLTECH TRANSMISSION FLUIDS
ALLTECH PUMP-SET OIL
ALLTECH GEAR OILS
ALLTECH UNIVERSAL TRACTOR OIL

Pack sizes in litre :
210, 50, 10, 5, 1, 500ml.



GREASE

ALLTECH GREASES

ALLUMINIUM COMPLEX GREASE
BENTONE (CLAY) GREASE
CALCIUM GREASE,
LITHIUM (12-HYDROXY STEARATE) GREASE
LITHIUM COMPLEX GREASE
POLYUREA GREASE
SODIUM GREASE

PACK SIZES IN LITRE :
210, 50, 10, 5, 1, 500ml.



TEA

ALLTECH TEA

The Alltech teas are the least processed and tend to have the highest amounts of polyphenols, and the only type that contain the polyphenol, catechin, which is why many studies have been done using only Alltech teas. Certain Alltech teas are known for their medicinal values, including soothing the digestive system.

Protects Heart Health | Boosts Energy | Supports Mental Health

PACK SIZE : SMALL SIZE BAG, 50GM, 100GM, 250GM, 500GM, 1KG, 5KG

Tea in various grades from different garden of Assam, Dargling (West Bangal), and Nilgiri (Tamil Nadu) and procure tea leaves, CTC grades, Green tea as per our client & customer requirements.

GRADE TERMINOLOGY :

Choppy : Contains many leaves of various sizes.

Fannings : Are small particles of tea leaves used almost exclusively in tea bags.

Flowery : Consists of large leaves, typically plucked in the second or third flush with an abundance of tips.

Golden Flowery : Includes very young tips or buds (usually golden in colour) that were picked early in the season.

Tippy : Includes an abundance of tips.

BROKEN LEAF GRADES :

BT – Broken Tea: Usually a black, open, fleshy leaf that is very bulky.

BP – Broken Pekoe: Most common broken pekoe grade. From Assam and Southern India.

BPS – Broken Pekoe Souchong: Term for broken pekoe in Assam and Darjeeling.

FP – Flowery Pekoe: High-quality pekoe. Usually coarser with a fleshier, broken leaf.

BOP – Broken Orange Pekoe: Main broken grade. Prevalent in Assam, Ceylon, Southern India, Java, and China.

F BOP – Finest Broken Orange Pekoe: Coarser and broken with some tips. From Assam.

F BOP F – Finest Broken Orange Pekoe Flowery: The finest broken orange pekoe. Higher proportion of tips.

G BOP – Golden Broken Orange Pekoe: Second grade tea with uneven leaves and few tips.

GF BOPI – Golden Flowery Broken Orange Pekoe 1: As above, but with only the highest quality leaves in the GFBOP classification.

TGF BOPI – Tippy Golden Flowery Broken Orange Pekoe 1: High-quality leaves with a high proportion of tips. Finest broken First Grade Leaves in Darjeeling and some parts of Assam.



Available In Small Tea Bags

Nt. Wt. 500Gm.

ALLTECH
Purpose - Driven - Solutions

Tea
PREMIUM TEA LEAVES

The banner features a central image of a glass cup filled with tea, surrounded by various tea leaves and a small bowl of tea. The background is a light green with a subtle pattern of tea leaves.





CONTACT US



ALLTECH INDUSTRIES
AN IOS 9001, 2015 Certified Company



Survey No. 99/2P, Madhuban Road,
Opp. Hotel Madhuban,
Village : Rakholi, Silvassa - 396230,
U.T. of Dadra & Nagar Haveli, INDIA



+91 985-318-6846 | +91 972-775-5683
+91 949-168-4547 | +91 951-048-4121



info@alltechinds.com



www.alltechinds.com

DEALERSHIP

